2022



SHREDDERS, BINDING MACHINES, LAMINATORS,TRIMMERS & ACCESSORIES



BINDING MACHINES




wire combs is widely used all over the world. That makes it the most popular way of binding up to 510 sheets at a time in many sizes. Documents bound this way are convenient because, they laid flat for photocopying, you can remove or add sheets at any time. All you have to do is open the plastic comb, update the document and close it again. If you use wire combs, you may have to replace the old comb with a new one.



you to bind comb very easily

using a rotating roller. Equipped with margin depth adjustment, paper guide, switched off knives and a large container for punch waist.










SUPER BONO

New universal binding machine for plastic combs, recommended for offices, print/ copy shops, punches up to 22 A4 sheets, binds 510 sheets at once, adjustable margins side guide, 24 selectable punch dies, metalhousing.






NEW binding machine for wire

WIRE BONO

BONO FAMILY



NEW, modern binding machine for plastic combs. Good for large offices and print/copy shops. Punches up to 15 A4 sheets or 2 covers, binds 510 sheets at once, adjustable margin, paper guide stop, selectable punch dies.

BINGO FAMILY





Compact binding equipment perfect for home and small office use, New shaped handle for effortless punching, punches up to 8 sheets at a time binding up to 145 sheets. opens and closes plastic combs. Tuff plastic housing, Modern smart design.





Plastic comb binding equipment for home offices and small to medium businesses. New shaped handle for effortless punching, adjustable margins, punches up to 14 sheets at a time, binds up to 510 sheets, opens and closes plastic combs. tuff plastic housing, smart design.



Professional, manual binding equipment, solid metal Base, safety guard. Perfect for rigorous use, by large offices, schools, universities and copy/print shops, two handle system significantly shortens binding time. Punches up to 20 sheets at one time, for up to 510 sheets. The Hercules plus has 7 adjustable punch dyes for many paper sizes.





Small to medium office plastic comb opening and binding equipment, smooth operation to open the combs, easy to use metal handle for punching, reliable and strong, punches up to 12 sheets at a time, for combs up to 510 sheets

COIL BONO Small office coil binding machine.

With one stroke handle, punching up to 12 sheets at once of A4 paper with side guides, binding up to 160 sheets: for all sizes of spiral coils, on broad size chart guide for document thickness, pliers to close or open coils.

JUMBO FAMILY

JUMBO B

Heavy-duty business binding machine for plastic combs, Strong metal construction

punch dies.

functional design easy use handle for punching and binding, with adjustable margin and paper format side guide, scale for choosing the right comb. Good for busy offices, print/copy shops. A4 format, punches up to 25 sheets, binds 510 pages at once, selectable

WIRE EL - JUMBO

Modern electric wire binding machine, easy to use wire closer handle, 3 holes per inch. Good for large offices, print/copy shops. Punches up to 25 sheets at once, binds up to 120 sheets. all punch dies selectable.

EL - JUMBO B

Heavy-duty electric plastic comb binding machine for larger offices print/copy shops. Strong metal construction, functional, durable design, easy use handle for opening combs to bind, foot switch operation for punching, large waste tray, paper side guide, up to A4, punches 30 sheets at once, binds up to 510 sheets, adjustable margin depth, selectable punch dies



NEW, modern, binding machine for wire spines 3 holes per inch

Good for the larger offices punches 25 sheets or 2 covers, binds up to 120 sheets. 35 selectable punch dies, adjustment for 4 margin depths: 3 mm / 5 mm / 7 mm / 9 mm.








BINDING COMBS





colour: white, red, blue, yellow, black, green.

, 3				
SIZE	PAGES UP TO	PER BOX		
4,5 mm 6 mm 8 mm 10 mm 12 mm 14 mm 16 mm 18 mm 20 mm 22 mm 25 mm 28 mm 32 mm 38 mm 45 mm	10 25 45 65 105 125 145 165 180 210 240 270 300 350 440 510	25*, 100 25*, 100 25*, 100 25*, 100 25*, 100 25*, 100 25*, 100 25*, 100 25*, 100 50 50 50 50 50		
*without yellow colour				

O·WIRE

colour: white, red, blue, black,

	5	silver	
	SIZE	PAGES UP TO	PER BOX
	4,8 mm	20 sheets	100
	6,4 mm	25 sheets	100
	8,0 mm	45 sheets	100
	9,5 mm	65 sheets	100
1	1,1 mm	105 sheets	100
1	2,7 mm	127 sheets	100
1	4,3 mm	150 sheets	100

HAND BINDING

colour: white, blue, black

PAGES

UP TO

60 sheets

100 sheets

150 sheets 200 sheets

colour: white, blue, black, red,

PAGES

UP TO

O · SLIDE OVAL

SIZE: 4, 6, 8, 10, 12 mm

50 pcs. per box

30 sheets

30 sheets 50

50 sheets 50

75 sheets 50

PFR

25

25

PER

BOX

50

BOX

O · CLICK

SIZE

green SIZE

3 mm

6 mm

10 mm

15 mm

6 mm

10 mm

O-SLIDE

O COIL

colour: white, black, transparent

UP TO

30

50

70

90

110

120

160

200

240 280

 $\bigcirc \cdot \mathsf{COMB}$

BOX

100

100

100

100

100

100


100

50

50

50

R	3	SIZE	
00 00 00 00 00 00 00 00 00 00		6 n 8 n 10 n 12 n 14 n 16 n 20 n 22 n 32 n	nr nr nr nr nr





BINDING COVE





Our response for the demand of a good

O-POPULAR

DESCRIPTION	SIZE	QUANTITY (pcs in)
white, black, blue,		

light green, yellow



Exclusively designed hard covers, for binding documents with plastic and wire combs. Available in Classic and Business +,

O PRESTIGE

DESCRIPTION		SIZE	QUANTITY (per box)
Classic black, blue, white*		A4	10
	maroon, green, grey		
Business +		A4	10
ongoigl and	O.W.		





looking low price cover.

DESCRIPTION	SIZE	QUANTITY (pcs in)
-------------	------	----------------------

red, light blue, A4 100

white high density card A3 100



textured finish.


DES	SCRIPTION	SIZE	QUANTITY (per box)
Classic black, blue, white*		A4	10
	maroon, green, grey		
Business +		A4	10





DESCRIPTION	SIZE	QUANTITY (pcs in)

Black and semitransparent polypropylene covers.



Semitransparent polypropylene covers with laser

shallow incision for easy opening. O SUPERPLAST easy open SIZE DESCRIPTION

semi transparent 300 µm A4

Elegant leather textured hi-density card. Available range of colours. Making documents look professional.

The name describes the look and quality of your document after being

A4, A3*

SIZE

A4

SIZE

A4

A4, A3

bound with the EXCLUSIVE textured Hi-density card. We offer a full

range of colours to suit your needs. Also we can customize covers.

Use OPUS transparent front covers when you want the first

page to be visible. Also available in A3 format

transparent

transparent

transparent

transparent

OPUS transparent soft covers without PVC

O · CLEAR pvc FREE DESCRIPTION

transparent A4

colour: green, red

blue, yellow, brown

QUANTITY

(per box)

100

QUANTITY (per box)

QUANTITY

(per box)

100

100

100

100

100

QUANTITY

(per box)

QUANTITY

(pcs in)

100

100

100

O-UNIVERSAL

DESCRIPTION

white, black, red, brown*,

yellow, maroon, green

minimum order applies.

O·EXCLUSIVE

O-CLEAR

Economy

Standard

Standard

Standard

Solid

DESCRIPTION

white, green, blue, red, vellow, black, *special order except white colour

DESCRIPTION

* A4 only



DESCRIPTION	SIZE	BOX
colour: white, bla	ck, silver	(pcs)
packed per box	100 mm	500
packed per box	150 mm	500
packed per box	200 mm	500



O-FILESTRIP

A special strip with holes designed to be added to the documents which need to be keep in lever arch files.

ACCESSORIES FOR BINDING SYSTEM



O-POCKET Sticky

Self - adhesive,

clear pockets to insert titles on file spines. 25-H x 75-W mm (24 per packet)



CD1 - with velcro

CD2 - without velcro Self - adhesive, clear envelope for CD/DVDs, with closer. (5 per pack)



the front of files.

(20 per pack)

60-H x 95-W mm

Self - adhesive, clear corner pockets for document enclosures. 150-H x150-W mm (12 per pack)

O-POCKET Sticky



O·STICKY FILESTRIP

Self - adhesive strips, for thermal covers and other documents to be files. A4 format. (20 or 100 per pack)





S-15 Self - adhesive, clear pockets for memory cards pen drives or floppy discs 105-H x 90-W mm



BINDING MACHINES



profiBINDER&CLOSER

This unique equipment is designed for binding plastic and wire combs. Easy to use loading, binding (up to 510 sheets) and opening mechanism for plastic combs and loading and crimping mechanism (up to 120 sheets for 3..1" and 230 sheets for 2..1" systems) for wire combs all in one equipment.





OPUS

profiELCLOSER

The high performance electric wire spine closer with automatic selection of crimping force and touch pad override system for quick, safe and ease of use. Modern design, metal housing. Perfect for professionals. Binds up to 120 sheets (3..1") and 230 sheets (2..1") with wire

PROFI FAMILY



profiPUNCH

Professional hand punch, with changeable punch cassettes for perforating documents, recommended for medium size companies and copy shops. Five cassettes to choose from, variable margins, holes shapes and sizes. Solid metal construction, capable of punching up to 25 sheets at one time.



profiELPUNCH

Professional high performance electric punch with foot pedal, with changeable punch cassettes for perforating documents, recommended for large companies and copy shops. Five cassettes to choose from, variable margins, holes shapes and sizes. Solid metal construction, powerful electric motor, capable of punching up to 25 sheets at one time.

profiPUNCH cassettes

Changeable punch cassettes for profiPUNCH and profiELPUNCH Punch cassettes available:

OPUS profiPUNCHBLOCK 3 x 8 mm - 21 selectable punches for binding with plastic combs

OPUS profiPUNCHBLOCK 3:1 ø 4 mm circular holes - 35 selectable punches for binding with wire combs 3..1

OPUS profiPUNCHBLOCK 3:1 ø 4 mm circular holes + thumb cut blade for calendar - 32 selectable punches for binding with wire combs 3..1

OPUS profiPUNCHBLOCK 2:1 ø 6 mm circular holes - 23 selectable punches for binding with wire combs 2..1"

OPUS profiPUNOHBLOCK 4:1 ø 4 mm circular holes - 49 punches for binding with spiral combs 4..1"

OPUS profiPUNCHBLOCK 3:1 4 x 4 mm square holes - 35 selectable punches for binding with wire combs 3..1

OPUS profiPUNCHBLOCK 2:1 6 x 6 mm square holes - 23 selectable punches for binding with wire combs 2..1*

OPUS profiPUNCHBLOCK 5:1 ø 3,25 mm circular holes - 35 selectable punches for binding with spiral combs 5..1" OPUS profiPUNCHBLOCK 3:1 4 x 4 mm square holes + thumb cut blade for calendar - 32 selectable punches for binding with wire combs 3..1*



profiMaxPUNCH cassettes

Changeable punch cassettes for profiMaxELPUNCH Punch cassettes available:

OPUS profiMaxPUNCHBLOCK 3 x 8 mm - 21 selectable punches for binding with plastic combs

OPUS profiMaxPUNOHBLOCK 3:1 \emptyset 4 mm circular holes - 35 selectable punches for binding with wire combs 3..1"

OPUS profilMaxPUNCHBLOCK 3:1 ø 4 mm circular holes + thumb cut blade for calendar - 32 selectable punches for binding with wire combs 3..1* OPUS profiMaxPUNCHBLOCK 2:1 \emptyset 6 mm circular holes - 23 selectable punches for binding with wire combs 2..1"

OPUS profiMaxPUNOHBLOCK 4:1 ø 4 mm circular holes - 49 punches for binding with spiral combs 4..1"

OPUS profiMaxPUNCHBLOCK 3:1 4 x 4 mm square holes - 35 selectable punches for binding with wire combs 3..1"

OPUS profiMaxPUNCHBLOCK 2:1 6 x 6 mm square holes - 23 selectable punches for binding with wire combs 2..1*

OPUS profiMaxPUNOHBLOCK 5:1 ø 3,25 mm circular holes - 35 selectable punches for binding with spiral combs 5..1"

OPUS profiMaxPUNOHBLOCK 3:1 4 x 4 mm square holes + thumb cut blade for calendar - 32 selectable punches for binding with wire combs 3..1

OPUS profiMaxPUNCHBLOCK 3:1 ϕ 4 mm circular holes - 32 selectable punches for binding with wire combs 3..1"

OPUS profilMaxPUNOHBLOOK 2:1 4 x 5,5 mm rectangular holes - 32 selectable punches for binding with wire combs 3..1





profiMaxELPUNCH

Stronger professional high performance electric punch with foot pedal, with changeable punch cassettes for perforating documents, recommended for large companies and copy.







Semi - automatic Wire Closer

Professional semi automatic binder for wire combs with feeder for calendar hangers. Perfect machine for all small printing houses or big copy shops specialized in calendar's production

AMINATORS



Laminating prolongs the life of documents, and photos, notices and charts. The process of sealing in plastic pouches keeps the colours vivid and in good condition for a long time. Charts and notices especially which can be marked with a water based pen and wipe clean later. The documents secured this way, cannot be changed or interfered with, also protects against tearing, dirt or damage by water.



uniLAM A4 Basic

Office laminator up to A4 format with a unique design. It uses modern technology for lamination of heated rollers. Quickly reaches operating temperature. Laminates most popular films (from 100 µm to 160 µm).



UNILAM A4

A unique design, easy to use, small compact laminator, with the newest hot roller technology, very short preheating time. 3 to 5 minutes. 2 standard laminating modes for the most

popular pouches. Maximum laminating: A4 width, thickness including pouch 0.6 mm, for pouches 80 - 125 microns, no laminating carrier needed, laminating speed: 300 mm/minute



uniLAM A3

Office laminator up to A3 format. Unique design, short preheat time, 3 to 5 minutes. The newest hot roller technology.

no need for laminating carrier. Programmed with three laminating modes for pouches: 80 - 175 microns. Maximum: laminating width, 330 mm (A3 format) and of material thickness including pouch: 0,5 mm, 4 roller system.



uniLAM A3 basic

The cheapest office laminator in our offer up to A3 size with a unique design. It uses modern technology for lamination of heated rollers. Quickly reaches operating temperature. It has two standard modes for laminating most popular films.





profiLAM junior A3

Professional laminator with "hot rollers" technology, ensures the highest quality of lamination. Laminator is equipped with temperature control, allowing you to choose the most optimal variant of lamination. High quality, robust construction.



rolLAM 380

Professional roller laminator for big print/ house/copyshops. Modern LCD control panel, individual laminating settings. Silicon rollers covered to improve lamination qualitv. Maximum laminating width: 380 mm, laminating speed up to 4 m per minute. Laminating foil up to 25 - 250 microns





Professional continuous roll feed Laminator, special silicon covered hot roller system for improved laminating quality and speed. Special rotary trimmer, LCD display control panel, microprocessor to set precise individual speeds and temperatures

when laminating. Maximum laminating width 720 mm, speed 4 m per minute, 4 roller system, STAND-BY function, heating time 5 to 6 minutes, maximum foil thickness 250 microns, maximum thickness of document with foil 7 mm, temperatures from 80 to 150°C,



AutoLAM A3

Office laminator up to A3 format. Uses hot roller technology. Does not require the use of paper or foil carrier. The "Auto Sense" automatic mode detects film thickness and informs the user about any errors. In manual mode available six programmed lamination modes (for films: 75 μm, 100 μm, 125 μm, 150 μm, 175 μm and 250 μm).



rolLAM 380 / 720 Super

Professional continuous roll feed Laminator with a top chrome heated roller and special silicon covered bottom roller for improved laminating quality and speed. Special rotary trimmer. LCD display control panel, microprocessor to set precise speeds, temperatures with two infrared sensors for laminating.



profiLAM A3

Professional laminator with the newest hot roller technology, providing the highest quality lamination for colour photos, foils, photo copies and printed documents. LCD control panel display, timer, temperature settings, roller speeds, giving you the optimal control of the laminator for the best results. Good for intensive use in large offices, universities and print/copy shops. Laminates all sizes up to 325 mm (A3 format).



cityLAM A3

Office laminator up to 330 mm (A3 format). Modern design short preheat time. Newest hot roller technology, No laminating carrier needed. 3 Pre programmed laminating modes (pouch: 80 to 200 microns). Maximum thickness documents and pouch 1mm, 4 roller system



profiLAM A2

"special hot roller" technology, LCD display control panel, designed for intensive use. lamination width up to 480 mm. speed 1.2 m/minutes, pouch thickness up to 80 - 250 microns. preheating time, 8 minutes, reverse function, temperature up to 160°C, 6 roller system

Professional fast laminator with



MinuteLAM A4

Modern, easy-to-use office A4 laminator designed for hot and cold lamination. Uses hot rollers technology which provides the best results. Warm-up time of less than 90 seconds. Three standard modes for hot lamination (80, 100 and 125 microns) and



MinuteLAM A3

Modern, easy-to-use office A3 laminator designed for hot and cold lamination. Uses hot rollers technology which provides the best results. Warm-up time of less than 90 seconds. Three standard modes for hot lamination (80, 100, 125, 150 and 175 microns) and cold lamination.



LAMINATORS

AutoLAM A3 INSTANT

Office laminator up to A3 format. No heating required, ready to work right after switching on! Nice design, uses hot rollers technology which provides the best results, does not require the use of paper or foil carrier. Six programmed lamination modes (for films: 80 µm, 100 µm, 125 μm, 150 μm, 200 μm and 250 μm).





High-speed professional laminator for offices, newest special hot roller technology, up to 330 mm (A3 format), LCD display control panel, 8 roller system, reverse function, heating time 5

R LAMINATORS

O-POUCH	Super			
FORMAT	SIZE	(HxW)	PER BOX	THICKNESS [µm]
credit card business card business card business card	65 x 95 mm 59 x 83 mm	100 100 100 100	80, 100, 125, 1 100, 125, 250	5, 150, 175, 250
business card A7	80 x 110 mm	100	80, 100, 125, 80, 100, 125, 1	, ,
	80 x 120 mm 111 x 154 mm 154 x 216 mm	100 100 100	80, 100, 125, 1 80, 100, 125, 1 80, 100, 125, 1	50, 175, 250
	216 x 303 mm 216 x 303 mm	100		5, 150, 175, 250
A3	303 x 426 mm	100	80, 100, 125, 1	,
A2	426 x 600 mm	25	80, 100, 125	O-LA

O·FILM Super

HICKNESS [µm]	WIDTH	LENGTH	ROLL DIAMETER
. ,			
32	320 mm	200 m	25 mm
32	350 mm	1000 m	76 mm
32	455 mm	200 m	25 mm
32	685 mm	500 m	57 mm
75	230 mm	100 m	25 mm
75	320 mm	100 m	25 mm
75	455 mm	100 m	25 mm
75	685 mm	200 m	57 mm
125	320 mm	60 m	25 mm
125	685 mm	150 m	57 mm









SIZE (H x W) [mm]











O-CLIP Sticky

FILMS

O-POUCH Matt/Clear O-POUCH Matt/Matt	100	100	55 x 95, 60 x 95, 80 x 110, 111 x 154 154 x 216, 216 x 303, 303 x 426, 350 x 260, 350 x 450, 426 x 600
O-POUCH Sticky	80	100	55 x 95, 60 x 95, 80 x 110, 111 x 154 154 x 216, 216 x 303, 303 x 426, 350 x 260, 350 x 450

PER BOX







THICKNESS [µm]





O-CLIP 4 O-BADGE REEL 1

216 x 303









THERMAL BINDING MACHINES



Thermal binding is an easiest way to bind sheets of paper. All you have to do is place the pages in a cover and put them into a thermal binder. The whole process takes only a few seconds, even if you bind 500 pages. Whatever you bind it always looks impressive. It is light, flat and lasts for a long long time. With documents bound this way your company image becomes more and looks professional. There is a big range and variety of covers manufactured by OPUS.





Small office thermal binding machine, incredibly inexpensive, gives a high performance, modern design, side cooling rack, making the TB250 neat and compact taking only a little space in the office. Binds up to 220 sheets of A4 paper at one time.

THERMAL BINDING MACHINE

model	preview	format	binds max (sheets): [80 g/m²]	power [W]	working temperature [°C]	worm-up time [min]	housing	main features	code - www link
TB 250	-	A4	220	250	110	1 - 2	plastic	small size, modern design, sliding cooling rack	200115

OPUS

OPUS

OPUS

CS 2212 CD

OS 2210 CD

OS 2206 CD

Office/home cross-cut shredder, automatic on/off, paper feed slot 220 mm, up to 6* A4 Sheets at one time, Shred size: 4 x 39 mm, level P-4 security. CD/ DVD and credit card slot, 1 CD/DVD or 1 credit card at one time. 7 litre container.

Office/home cross-cut shredder. Feed slot: 220 mm,

shred size: 4 x 39 mm, sheet capacity maximum 10*

pages security level: P-4, automatic "start/stop",

A very efficient personal cross-cut shredder. It cuts

4rd DIN security level. It can also shred credit cards!

feeding slot: 220 mm / 122 mm shred size: 4 x 35

mm, sheet capacity: max. 12 pages* / 1 CD / 1 credit

card security level: P-4 | Tx-1 | Ex-2 automatic cut off

if cutting head is not installed properly can shred CDs

paper into shreds size: 4 x 35 mm, achieving the

overheat protection, with reverse,



tion. An important part of protecting this information is the ability to effectively destroy documents which need to remain a secret. Shredders not only help you to solve this problem, but also reduce the volume of paper waste in your office. We offer two cutting systems, with six levels of security. In wood, aluminium and plastic housings, in a range of colours and designs, classical or modern.

OPUS

CS 2205

Office/home cross-cut shredder. It cuts paper into shreds size: 4 x 40 mm, achieving the 4rd DIN security level. Feeding slot: 220 mm, shred size: 4 x 40 mm (cc) sheet capacity (80 g/m²): max. 5 pages* security level: P-4, automatic "start/stop" overheat protection reverse.

The most valuable asset a company has is informa-







CS 2105

The smallest and the lightest shredder in our offer, suitable for personal use and small offices. It has automatic start-stop, reverse function and motor overheating protection. Feeding slot: 217 mm, shred size: 7 mm max sheet capacity: 5 pages* security level: P-1, automatic start/stop, overheat protection reverse volume shred bin: 9 liters dimensions: 315 x 280 x 158 mm weight 1,25 kg.











EUROCUT A4

and easy to use.

OPUS

CS 2208 CD

Universal crosscut shredder for medium size offices.

2 slots, paper 220 mm, shreds up to 8 A4 sheets,

light staples, shred pieces 2 x12mm, security level

P-5. Slot 2 shreds 1 credit card 'magnetic strip or

level O-2 at a time. Auto start/stop, overheating

shredded CD/DVD and credit cards.

chip', security level Tx-5, Ex-4, 1 CD/DVD, security

protection, 22 litre container with small bin inside for

When you want to trim a document to the required

format in a neat and accurate manner you can do

it with OPUS trimmers and guillotines, simple

Light compact A4 format office trimmer/ guillotine. Movable guide makes cutting any paper to a precise size easy. Tough plastic safety guard for blade and clamp to hold the paper, makes working with the Eurocut very safe. Easy to move, well designed handle, paper size guide on the bed, movable guide for precise cutting. Cuts up to 8 sheets at a time and only weighing 2 kg.





TS 2222 CD

and credit cards.

The universal cross-cut shredder. Ideal for medium offices. Feed opening: 225 mm / 122 mm cutting width: 3.9 x 44 mm, shreds up to: 22* / 1 CD/DVD / 1 credit card security level: P-3 | Tx-1 | Ex-2 automatic start-stop (photocell) special diode informs about motor overheating special diode informs about paper jamming special diode informs about shred bin full shreds staples.



OPUS

VS 711 CD SHREDS CD, DVD, CREDIT CARDS

Very efficient personal crosscut shredder, automatic on/off. Paper feed slot 225 mm, up to 7 A4 sheets at a time. Shred size: 4 x 40 mm, level P-4 security. CD/ DVD and credit card slot, 1 CD/DVD or 1 credit card at a time, 20 litre container.



MULTIROLO A3

EUROCUT A3

Light compact A3 format office trimmer/

guillotine. Movable guide makes cutting

any paper to a precise size easy. Tough

plastic safety guard for blade and clamp

to hold the paper, makes working with

bed, movable guide for precise cutting.

OPUS Furocut A4 and A3 Cuts up to 8 sheets at a time and only weighing 2 kg.

OPUS

VS 1202 CD

SHREDS CD, DVD, CREDIT CARDS

Perfect for office use, heavy duty, crosscut shredder,

credit card cut out in the paper slot, CD/DVD slot with

dot scoring on both sides system, separate pull down

shreds light staples in paper. 30-litre container.

tray to catch CD's Shred size 4 x 35 mm pieces, up to 12

A4 sheets at a time, security level P-4, 235 mm feed slot,

Very light and easy to use rotary trimmer. Multirolo A3 cuts up to 7 sheets at a time. Equipped with a tough plastic guard for the blade, and a paper size guide on the bed.



hobbyCUT A4

Small paper trimmer, with a plastic clamp to hold the paper when cutting, metal base marked with many different sizes and angels, cuts up to 5 sheets at a time Cutting length 320 mm





CS 2208 AF

Modern office crosscut shredder.2 feed slots, Paper slot 225 mm, shred size 4 by 30 mm pieces, security level P-4, shreds 8 sheets of paper at a time, stops when paper clips is detected, slot 2 122mm, 1 credit card magnetic strip or chip security level Tx-2 and Ex-2, 1 CD/DVD, very quiet running, with caster for ease of moving, removable 22 litre bin.



OPUS

TS 2215 CD

The universal, cross-cut shredder. Ideal for medium and big offices. It has special feed to shredding CDs and credit cards. Feed opening: 225 mm / 122 mm cutting width: 4 x 38 mm shreds up to: 15* / 1 CD/ DVD / 1 credit card security level: P-4 | Tx-1 | Ex-2 automatic "start/stop" (photocell), shreds credit cards and CDs.



ROLOCUT A4

The most inexpensive rotary trimmer for homes and small offices. Simple design, very clear size guide, in millimetres on the base. Solid rotary cutting knife, paper safety clamp bar. Rolocut A4 cuts up to 320 mm and 10 sheets at a time.



Solid Trimmer 320

Small rotary trimmer for cutting e.g. printouts for o.pouch cover. Metal base with built-in magnets. With Coverator and Atlas 190 binding machine you will have perfect solution for customizing covers and photobooks.





VS 2000 CA

Modern, business cross-cut shredder. Equipped with LCD display. Suitable for middle / average work groups. Paper slot 230 mm, shred size pieces 4 by 35 mm, security level P-4, shreds 20 sheets of paper at a time, shreds 1 credit card magnetic strip or chip security level Tx-2 and Ex-2 or 1 CD/DVD security level O-1. Equipped pull-out drawer for cuttings. Staple and paper clip resistant.



OPUS

CS 2418 CD

Universal 2 Slot crosscut shredder, for medium to large businesses. Paper feed 240 mm, up to 18 A4 sheet at one time. Shred size 4 x 40 mm pieces, security level P-4. Separate 122 mm slot for 1 CD/ DVDs or 1credit cards or 1floppy discs at a time, security Ex-2, T-1, Tx-1. Motor overheating protection, Auto start/stop, 27 litre container.






Professional corner cutter. Interchangeable cutting blades, cuts rounded, straight and angled corners, other types and sizes of cutters available. Comes with a standard 6 mm. rounded cutter.



standardCREASE 49

Makes a crease mark on paper, card and photos in quick and easy way. Stable and durable metal construction. Two guides to help do precise creasing and perforating. Designed for offices, advertising agencies and perfect for professional photo labs.





^{*} Tested on 70 g/m² paper

DEVICES FOR FILLING CUSHIONS OR MATS WITH AIR



A lot, more, a lot more... parcels we send every day. We want them to be well packed, secured, look great, and that packing them does not take much time. It is possible now. Everyone who will pack and everyone who will unpack the package will appreciate the functionality, economy, appearance and optimization – everyone whose package will be filled and secured with air fillers in the form of cushions or air mats!

DEVICES FOR FILLING FOIL CUSHIONS OR MATS WITH AIR


air packing equipment	preview	max speed [m/min]	power [W]	air pressure indicator	air pressure adjustment	pedal switch tap	air cushion support	air mat support	dimensions (H x W x D) [mm]	weight [kg}	code - www link
aeroPOUCH 4		12	250	•	•	-	•	•	300 x 260 x 260	3,5	906147
aeroPOUCH 8	沙耳	8	220	•	•	•	•	•	225 x 465 x 420	6,9	906017
aeroPOUCH 9 Pro	0	20	300	•	•	•	•	•	385 x 270 x 280	17	906154

FILLING FOIL CUSHIONS & MATS WITH AIR

air cushion chain foil and film mats	preview	roll length [m]	roll height [mm]	film thickness [µm]	film type	number of air chambers per sheet	mat size (cuttings) [mm]	quantity in package* (rolls)	code - www link
aeroPOUCH 100 x 200 mm (cushion)	En 91	300	200	20	HDPE (High-density polyethylene)	1 cushion	100 x 200	1	906024
aeroPOUCH 325 x 400 mm (cushions)	7.5	300	400	20	HDPE (High-density polyethylene)	20 cushions	325 x 400	1	906048
aeroPOUCH 325 x 400 mm (bubbles)	(g) (g)	300	200	20	HDPE (High-density polyethylene)	60 bubbles	325 x 400	1	906031
aeroPOUCH 305 x 400 mm (mini-bubbles)		300	400	20	HDPE (High-density polyethylene)	196 mini-bubbles	305 x 400	1	906055

PAPER VOID FILL FOUIPMENT





Paper is a cheap, attractive, environmentally friendly, easy to use and, above all, effective solution for packaging parcels. With a honeycomb paper feed, you can make your job considerably easier and create a package that will please the eye of every customer. **PACK WISELY - PACK IN PAPER!**Good, fast and environmentally friendly packaging is the best flag ship of any retailer. Now you can prepare paper fillings with ChartiPACK in no time at all.

PAPER VOID FILL DEVICES

paper void fill equipment	preview	max speed [m/min]	power [W]	programmable number and lenght of paper section	pedal switch tab	AUTO mode	LCD display	dimensions (H x W x D) [mm]	weight [kg}	www link
ChartiPACK HC		8	50	•	•	•	-	280 x 720 x 330	13.65	NEW
ChartiPACK AC	*	50	80	•	•	•	•	175 x 335 x 390	9.25	NEW

PAPER FOR PAPER VOID FILL FOLIPMENT

TAI LITTOTT AI LITT	OID I ILL LO	ZOII IVILIVI			
paper type	preview	paper length [m]	paper width [mm]	paper weight [g/m²]	www link
OPUS chartiPACK Honeycomb - Honeycomb Kraft Paper Roll 51 cm x 250 m		250	510	80	NEW
OPUS chartiPACK Z-fold - Z-fold Kraft Wrapping Paper 38 cm x 500 m (folding every 19 cm)	P	500	380	70	NEW

BINDING MACHINES COMPARISON CHART

					OPU	S BII	NDERS				
model	preview	format	punches max (sheets) [80 g/m²]	binds max (sheets) [80 g/m²]	manual / electric	spine type	releseable knives (PCS)	margin adjustment	adjusta- ble back- gauge	main features	code - www link
				PLAS	STIC CC	MB BI	INDERS				
BINGO		A4	8	150	manual	plastic	-	-	•	two arms handle	100156
JUNIOR MAX		A4	12	510	manual	plastic	-	•	•	metal handle	100866
MAXI BINGO		A4	14	510	manual	plastic	-	•	•	metal casing, adjustable margin (4 levels)	100163
BONO PLUS		A4	15	510	manual	plastic	21	•	•	metal housing, adjustable margin (4 levels)	100217
SUPER BONO		A4	22	510	manual	plastic	24	•	•	metal housing, adjustable margin (4 levels)	100231
HERCULES PLUS		A4	20	510	manual	plastic	7	•	•	spine size indicator, safety covers	100132
OFFICER		A4	20	510	manual	plastic	24	•	•	two arms handle, adjustable margin (4 levels)	100545
JUMBO B		A4	25	510	manual	plastic	21	•	•	metal housing, adjustable margin (4 levels)	100385
EL-JUMBO B	€.	A4	30	510	electric	plastic	21	•	•	metal housing, adjustable margin (4 levels), electric operation	100514
	'		'	'	WIF	RE BIN	IDERS	'	'		
WIRE BONO		A4	15	120	manual	wire	-	•	•	metal housing, spine size indicator	100224
WIRE JUMBO		A4	25	120	manual	wire	35	•	•	metal housing, spine size indicator, adjustable margin (4 levels)	100248
WIRE EL-JUMBO	6	A4	25	120	electric.	wire	35	•	•	metal housing, spine size indicator, adjustable margin (4 levels), electric operation	100194
		1			CO	IL BIN	DERS				
COIL BONO		A4	12	160 (20 mm coil)	manual	coil	-	nd.	•	metal housing, spine size indicator	100538
COIL JUMBO		A4	25	160 (20 mm coil)	ręczna	coil	6	nd.	•	metal housing, spine size indicator	100859
		1		,	PEF	RFORA	ATORS				
profi PUNCH		A4	25	module	manual	module	module	•	•	PUNCHblock module service (additional option)	100583
profi EL-PUNCH		A4	25	module	electric	module	module	•	•	PUNCHblock module service (additional option), electric operation	100590
profi MAX EL-PUNCH		A4	55	module	electric	module	module	-	•	PUNCHblock module service (additional option), electric operation	100736
		1	1	ML	JLTIFUN	CTION	IAL BINDE	ERS		, olectric operation	ı
profi BINDER & CLOSER		A4	-	according	manual	plasic / wire	-	-	-	2-systems binder	100606
profi EL-CLOSER		A4	-	to spine size	electric	wire	-	-	-	security sensor	100613
SEMI -AUTOMATIC WIRE CLOSER	3						built-in calenda			achine for any small printing e info.	100552

OFFICE LAMINATORS

model	preview	format (slot width) [mm]	max. thickness of laminating documents with foil [mm]	max foil thickness folii [µm]	warm-up time [min]	lamination speed [mm/min]	rollers quantity	revers	speed adjusting	tempera- ture adjusting	lamina- tion system	cold lami- na- tion	code - www link
UNILAM A4 BASIC		A4 230	0,5	160	3	230	2	•	2 l€	evels	warmed rollers	•	400348
UNILAM A4		A4 230	0,6	125	3-5	300	2	•	2 l€	evels	warmed rollers	•	400218
UNILAM A3 BASIC	-3	A3 320	0,5	125	3,5	300	2	•	2 l€	evels	warmed rollers	•	400287
MINUTELAM A4		A4 230	0,4	125	1,5	340	4	•	levels for p	oopular foils	warmed rollers	•	400324
UNILAM A3		A3 320	0,5	175	3-5	300	4	•	3 l€	evels	warmed rollers	•	400225
MINUTELAM A3		A3 320	0,7	175	1,5	380	4	•	levels for p	oopular foils	warmed rollers	•	400331
CITYLAM A3		A3 330	1	200	4-6	360	4	•		ıs panel use signal)	hot rollers	•	400263
AUTOLAM A3		A3	0,6	250	1	1500	6	•	(Stand-b	s panel y function) evels	hot rollers	•	400362
AUTOLAM A3 INSTANT		АЗ	1	250	ready to use after switch-on	450	6	•	(Stand-b	s panel y function)	warmed rollers	-	400355
PROFILAM A3 JUNIOR		A3	1	250	2-3	450	4	•	•	65-145 °C	hot rollers	-	400294
PROFILAM		A3	3	250	5-6	1200	6			ıs panel evels)	hot rollers	_	400157
A3	-	A5	Ü		3-0	1200	(amort.)		(digital)	0-140 °C	TIOT TOILETS		
PROFILAM		A2	3	250	8	550	6			s panel y function)	hot rollers	_	400232
A2	-				_		(amort.)		6 levels	0-160 °C			
SPEEDLAM A3		A3 350	3	350	5	4000	10 (4 support rollers)	•		s panel y function) 0-160 °C	hot rollers	-	400195

ROLL LAMINATORS

model	view	slot width [mm]	max. thickness of laminating documents with foil [mm]	power [W]	max foil thickness folii [µm]	lamination speed [mm/min]	rollers quantity	revers	speed adjusting	temperature adjusting	lamina- tion system	cold lami- na- tion	code - www link
ROLLAM 380		340	13	1550	250	4000	4	•	settings (Stand-by IR sensor te stabiliz	function), mperature	hot rollers (cooling)	•	410033
ROLLAM 380 SUPER		340	9	1550	250	5000	4	•	settings (Stand-by IR sensor temper tion, temp. ran (for all rollers	function), rature stabiliza- ige 0-150 °C	hot rollers (cooling)	•	410040
ROLLAM 720		680	7	1700	250	4000	4	•	settings (Stand-by 9 levels, IF temperature	function), R sensor	hot rollers (cooling)	•	410026
ROLLAM 720 SUPER		680	9	1550	250	4000	4	•	settings (Stand-by IR sensor tempe tion, temp. rar (for all rollers	function), rature stabiliza- ige 0-150 °C	hot rollers (cooling)	•	410057

SHREDDERS COMPARISON CHART

					(OPUS S	HRE	DDEF	RS					
model	preview	feeding slot	shred type	shred size [mm]	sheet capacity [80 g/m²]	Safety level (ISO/IEC 21964 standard)	power [W]	operating speed [m/s]	Shred bin volume [I]	also shreds	revers / castors	dimensions (H x W x D) [mm]	weight [kg]	code - www link
CS 2105		217	strip	7	5	P-1	100	0,04	9	-	manual -	315 x 280 x 158	1,25	510382
CS 2205		220	cross cut	4 x 40	5	P-4	120	0,04	11,8	-	manual -	310 x 296 x 190	2,9	510344
OS 2206 CD		220/125	cross cut	4 x 39	6	P-4 Tx-2 Ex-2 O-1	120	0,05	7	■ ⊚	manual -	380 x 310 x 164	3,3	510436
VS 711 CD		225/122	cross cut	4 x 40	6	P-4 Tx-4 Ex-3	200	0,09	20	■ ⊚	manual -	387 x 340 x 219	4,3	510207
OS 2210 CD		220/133	cross cut	4 x 39	10	P-4 Tx-1 Ex-2	200	0,08	21	■ ⊚	manual -	418 x 326 x 227	5,4	510443
VS 1202 CD		235/122	cross cut	4 x 35	12	P-4 Tx-4 Ex-3	200	0,05	30	□ ⊚	manual -	420 x 355 x 240	7,5	510184
CS 2212 CD	1	220/122	cross cut	4 x 35	12	P-4 Tx-1 Ex-2	380	0,04	25	∅ □⊚	manual -	367 x 464 x 251	6,7	510368
CS 2208 CD		220/122	cross cut	2 x 12	8	P-5 Tx-1 Ex-1 O-2	260	0,03	22/3	# = (a)	auto	565 x 350 x 260	10,3	510375
TS 2215 CD		225/122	cross cut	4 x 38	15	P-4 Tx-1 Ex-2 O-1	220	0,05	28	# 0	auto	645 x 373 x 277	9,15	510405
TS 2222 CD		225/122	cross cut	3,9 x 44	22	P-3 Tx-1 Ex-2	240	0,04	28	∅ □ ⊚	auto	649 x 373 x 289	12	510429
CS 2418 CD		240/122	cross cut	4 x 45	18	P-3 T-1 Ex-2	370	0,04	27	∅ □⊚ □	auto	640 x 375 x 275	19	510269
VS 2000 CA		230/133	cross cut	4 x 35	20	P-4 Tx-2 Ex-2 O-1	200	0,03	41	∅ □ ⊚	auto	660 x 416 x 310	13,4	510306
CS 2208 AF		225/122	cross cut	4 x 30	8 / 60²	P-4 Tx-2 Ex-2	250	0,04	22	# 0	auto	555 x 345 x 249	9,2	510313

TRIMMERS & GUILLOTINES COMPARISON CHART

	OPUS TRIMMERS & GUILLOTINES													
model	preview	type	cut lenght [mm]	cutting capacity (80 g/m²)	paper clamp	blade safety cover	measuring scale	adjustable backgauge	paper size guide	working table dimensions (W x D) [mm]	weight [kg]	code - www link		
HobbyCUT A4		guillotine	320	5	plastic bar	-	mm	-	•	320 x 150	0,9	300211		
EuroCUT A4	5	guillotine	335	8	manual	•	mm	•	•	330 x 260	1,6	300143		
EuroCUT A3		guillotine	430	8	manual	•	mm	•	•	430 x 360	2	300020		
RoloCUT A4		rotary trimmer	320	9	plastic bar	•	mm/cal	-	•	320 x 157	0,8	300235		
Multi ROLO A3		rotary trimmer	460	6	plastic bar	•	mm/cal	•	•	460 x 280	0,9	300174		
Solid Trimmer 320	-	rotary trimmer	320	9	plastic bar	•	mm/cal	•	•	320 x 600	1,9	643370		