2025



SHREDDERS, BINDING MACHINES, LAMINATORS,TRIMMERS & ACCESSORIES



BINDING MACHINES



The method of binding documents using plastic or wire combs is widely used all over the world. That makes it the most popular way of binding up to 510 sheets at a time in many sizes. Documents bound this way are convenient because, they laid flat for photocopying, you can remove or add sheets at any time. All you have to do is open the plastic comb, update the document and close it again. If you use wire combs, you may have to replace the old comb with a new one.

OPIS COIL JUMBO

A modern and professional binding equipment designed for binding documents with a spiral comb. The solid metal housing makes the device very durable. Equipped with an electric motor that allows you to bind comb very easily



OPUS OFFICER

Binding equipment designed for rigorous work. New shaped two handed rubber foam comfort grip handle, making punching extremely

easy. Punches up to 20 sheets at a time and binds up to 510 sheets using plastic combs.





OPIS SUPER BONO

New universal binding machine for plastic combs, recommended for offices, print/ copy shops, punches up to 22 A4 sheets, binds 510 sheets at once, adjustable margins side guide, 24 selectable punch dies, metalhousing.





OPUS WIRE BONO

BONO FAMILY

NEW binding machine for wire combs 3 holes per inch. Recommended for small offices and copy shops. A4 or smaller, punches 15 sheets or 2 covers, binds 120 sheets, 34 punch dies.

NEW, modern binding machine for plastic combs. Good for large offices and print/copy shops, Punches up to 15 A4 sheets or 2 covers, binds 510 sheets at once, adjustable margin, paper guide stop, selectable punch dies.

BINGO FAMILY

OPUS BINGO



Compact binding equipment perfect for home and small office use. New shaped handle for effortless punching, punches up to 8 sheets at a time binding up to 145 sheets. opens and closes plastic combs. Tuff plastic housing, Modern smart design.

OPIS MAXI BINGO



Plastic comb binding equipment for home offices and small to medium businesses. New shaped handle for effortless punching, adjustable margins, punches up to 14 sheets at a time, binds up to 510 sheets, opens and closes plastic combs. tuff plastic housing, smart design.



Professional, manual binding equipment, solid metal Base, safety guard. Perfect for rigorous use, by large offices, schools, universities and copy/print shops, two handle system significantly shortens binding time. Punches up to 20 sheets at one time, for up to 510 sheets. The Hercules plus has 7 adjustable punch dyes for many paper sizes.

OPUS JUNIOR MAX



Small to medium office plastic comb opening and binding equipment, smooth operation to open the combs, easy to use metal handle for punching, reliable and strong, punches up to 12 sheets at a time, for combs up to 510 sheets

OPUS COIL BONO

Small office coil binding machine. With one stroke handle, punching up to 12 sheets at once of A4 paper with side guides, binding up to 160 sheets: for all sizes of spiral coils, on broad size chart guide for document thickness, pliers to close or open coils.

JUMBO FAMILY

OPUS JUMBO B

Heavy-duty business binding machine for plastic combs, Strong metal

construction functional design easy use handle for punching and binding, with adjustable margin and paper format side guide, scale for choosing the right comb. Good for busy offices, print/copy shops. A4 format, punches up to 25 sheets, binds 510 pages at once, selectable punch dies.

OPIS EL - JUMBO B

Heavy-duty electric plastic comb binding machine for larger offices print/copy shops. Strong metal construction, functional, durable design easy use handle for opening combs to bind, foot switch operation for punching, large waste tray, paper side guide, up to A4, punches 30 sheets at once, binds up to 510 sheets, adjustable margin depth, selectable punch dies



OPUS WIRE JUMBO

422244444444444444

NEW, modem, professional binding machine for wire spines 3 holes per inch

Good for the larger offices Print/copy shops. A4, punches 25 sheets or 2 covers, binds up to 120 sheets. 35 selectable punch dies, adjustment for 4 margin depths: 3 mm / 5 mm / 7 mm / 9 mm.


OPUS WIRE EL - JUMBO

Modern electric wire binding machine, easy to use wire closer handle, 3 holes per inch. Good for large offices, print/copy shops. Punches up to 25 sheets at once, binds up to 120 sheets, all punch dies selectable.



BINDING COMBS









O·COMB

colour: white, red, blue, yellow, black, green.

SIZE	PAGES UP TO	PER BOX
4,5 mm	10	25*, 100
6 mm	25	25*, 100
8 mm	45	25*, 100
10 mm	65	25*, 100
12 mm	105	25*, 100
14 mm	125	25*, 100
16 mm	145	25*, 100
18 mm	165	25*, 100
20 mm	180	25*, 100
22 mm	210	100
25 mm	240	50
28 mm	270	50
32 mm	300	50
38 mm	350	50
45 mm	440	50
51 mm	510	50
4 99 4		

*without yellow colour

colour: white, red, blue, black, silver

SIZE	PAGES UP TO	PER BOX
4,8 mm	20 sheets	100
6,4 mm	25 sheets	100
8,0 mm	45 sheets	100
9,5 mm	65 sheets	100
11,1 mm	105 sheets	100
12,7 mm	127 sheets	100
14,3 mm	150 sheets	100

HAND BINDING

O · CLICK

colour: white, blue, black

SIZE	PAGES UP TO	PER BOX
6 mm	60 sheets	25
10 mm	100 sheets	25
15 mm	150 sheets	25
20 mm	200 sheets	25

O-SLIDE

colour: white, blue, black, red, green

SIZE	PAGES	PER
	UP TO	BOX
3 mm	30 sheets	50
6 mm	30 sheets	50
10 mm	50 sheets	50
15 mm	75 sheets	50

O · SLIDE OVAL

colour: white, blue, red, black SIZE: 4, 6, 8, 10, 12 mm 50 pcs. per box


O· COIL

colour: white, black, transparent

	SIZE	PAGES UP TO	PER BOX
ER			
OX	6 mm	30	100
100	8 mm	50	100
100	10 mm	70	100
100	12 mm	90	100
100	14 mm	110	100
100	16 mm	120	100
100	20 mm	160	100
100	24 mm	200	50
100	28 mm	240	50
100	32 mm	280	50
0			
0			
0			



O·WIRE





O·CLICK





Elegant leather textured hi-density card. Available range of colours. Making documents look professional.

O-UNIVERSAL		
DESCRIPTION	SIZE	QUANTITY (per box)
white, black, red,	A3	100
yellow, maroon, green	A4	100

The name describes the look and quality of your document after being bound with the EXCLUSIVE textured Hi-density card. We offer a full range of colours to suit your needs. Also we can customize covers. minimum order applies.

O-EXCLUSIVE		
DESCRIPTION	SIZE	QUANTITY (per box)
white, green, blue, yellow, black,	A4, A3*	100

Use OPUS transparent front covers when you want the first page to be visible. Also available in A3 format

○ ·CLEAR			
DESC	RIPTION	SIZE	QUANTITY (per box)
Economy	transparent	A4	100
Standard	transparent	A4	100
Standard	transparent	A3	100
Standard	colour: green, red	A4	100
	blue, yellow, brown		
Solid	transparent	A4, A3	100



O-SUPERPLA	ST	
DESCRIPTION	SIZE	QUANTITY (pcs in)
semi transparent 200, 300, 4	150 µm A4	100
black 300 um	ΔΛ	100

Semitransparent polypropylene covers with laser shallow incision for easy opening.

O-SUPERPLAST	easy	open
DESCRIPTION	SIZE	QUANTITY (pcs in)
semi transparent 300 µm	A4	100
semi transparent 200 µm	A4	100

Exclusively designed hard covers, for binding documents with plastic and wire combs. Available in Classic and Business +, textured finish.

O · PREST	IGE _		
DES	CRIPTION	SIZE	QUANTITY (per box)
Classic	black, blue, white*	A4	10
	maroon, green, grey		
Business +		A4	10
* special orde	er		

SORIES FOR BINDING SYSTEM

O · calendarHANGER DESCRIPTION SIZE BOX colour: white, black (pcs) packed per box 100 mm 500 packed per box 150 mm 500



A special strip with holes designed to be added to the documents which need to be keep in lever arch files.

O · FILESTRIP



25 x 75 mm / 24 pcs Self - adhesive, clear pockets to insert titles on file spines. 25-H x 75-W mm (24 per packet)

O-POCKET Sticky



packed per box

CD1 - with velcro CD2 - without velcro Self - adhesive, clear envelope

500

200 mm

for CD/DVDs, with closer. 123-H x 123-W mm (5 per pack)



O-POCKET Sticky

150 x 150 mm / 12 pcs Self - adhesive, clear corner pockets for document enclosures. 150-H x150-W mm (12 per pack)



O-POCKET Sticky

90 x 105 mm / 10 pcs Self - adhesive, clear pockets for memory cards pen drives or floppy discs. 105-H x 90-W mm (10 per pack)



O-POCKET Sticky

60 x 95 mm / 20 pcs Self - adhesive, clear pockets to insert titles on the front of files. 60-H x 95-W mm (20 per pack)



O·STICKY FILESTRIP

Self - adhesive strips, for thermal covers and other documents to be files. A4 format. (20 or 100 per pack)

BINDING MACHINES

OPUS

profiBINDER&CLOSER

This unique equipment is designed for binding plastic and wire combs. Easy to use loading, binding (up to 510 sheets) and opening mechanism for plastic combs and loading and crimping mechanism (up to 120 sheets for 3..1" and 230 sheets for 2..1" systems) for wire combs all in one equipment.





OPUS

profiELCLOSER+

The high performance electric wire spine closer with automatic selection of crimping force and touch pad override system for quick, safe and ease of use. Modern design, metal housing. Perfect for professionals. Binds up to 120 sheets (3..1") and 230 sheets (2..1") with wire

PROFI FAMILY

OPUS profiPUNCH

Professional hand punch, with changeable punch cassettes for perforating documents, recommended for medium size companies and copy shops. Five cassettes to choose from, variable margins, holes shapes and sizes. Solid metal construction, capable of punching up to 25 sheets at one time.



OPUS profiELPUNCH

Professional high performance electric punch with foot pedal, with changeable punch cassettes for perforating documents, recommended for large companies and copy shops. Five cassettes to choose from, variable margins, holes shapes and sizes. Solid metal construction, powerful electric motor, capable of punching up to 25 sheets at one time.

OPUS profiPUNCH cassettes

Changeable punch cassettes for profiPUNCH and profiELPUNCH Punch cassettes available:

OPUS profiPUNCHBLOCK 3 x 8 mm - 21 selectable punches for binding with plastic combs

OPUS profiPUNCHBLOCK 3:1 ø 4 mm circular holes - 35 selectable punches for binding with wire combs 3..1"

OPUS profiPUNCHBLOCK 3:1 ø 4 mm circular holes + thumb cut blade for calendar - 32 selectable punches for binding with wire combs 3..1*

OPUS profiPUNCHBLOCK 2:1 \emptyset 6 mm circular holes - 23 selectable punches for binding with wire combs 2..1"

OPUS profiPUNCHBLOCK 4:1 ø 4 mm circular holes - 49 punches for binding with spiral combs 4..1"

OPUS profi \overline{P} UNOHBLOCK 3:1 4 x 4 mm square holes - 35 selectable punches for binding with wire combs 3..1"

OPUS profiPUNCHBLOCK 2:1 6 x 6 mm square holes - 23 selectable punches for binding with wire combs 2..1"

OPUS profiPUNOHBLOOK 5:1 \pm 3,25 mm circular holes - 35 selectable punches for binding with spiral combs 5..1 \pm

OPUS profiPUNCHBLOCK 3:1 4 x 4 mm square holes + thumb cut blade for calendar - 32 selectable punches for binding with wire combs 3..1*

○PUS profiMaxPUNCH cassettes

 $\label{thm:change} Changeable\ punch\ cassettes\ for\ profiMaxELPUNCH\ Punch\ cassettes\ available:$

OPUS profiMaxPUNCHBLOCK 3×8 mm - 21 selectable punches for binding with plastic combs

OPUS profiMaxPUNCHBLOCK 3:1 ø 4 mm circular holes - 35 selectable punches for binding with wire combs 3..1"

 $OPUS\ profilMaxPUNOHBLOCK\ 3:1\ \varnothing\ 4\ mm\ circular\ holes+thumb\ cut\ blade\ for\ calendar\ -\ 32\ selectable\ punches\ for\ binding\ with\ wire\ combs\ 3..1^*$

OPUS profilMaxPUNCHBLOCK 2:1 ø 6 mm circular holes - 23 selectable punches for binding with wire combs 2..1 $^{\circ}$

OPUS profilMaxPUNCHBLOCK 4:1 Ø 4 mm circular holes - 49 punches for binding with spiral combs 4..1"

OPUS profilMaxPUNCHBLOCK 3:1 4 x 4 mm square holes - 35 selectable punches for binding with wire combs 3..1"

OPUS profiMaxPUNCHBLOCK 2:1 6 x 6 mm square holes - 23 selectable punches for binding with wire combs 2..1*

OPUS profiMaxPUNOHBLOCK 5:1 ø 3,25 mm circular holes - 35 selectable punches for binding with spiral combs 5..1"

OPUS profilMaxPUNCHBLOCK 3:1 4 x 4 mm square holes + thumb cut blade for calendar - 32 selectable punches for binding with wire combs 3..1*

OPUS profilMaxPUNCHBLOCK 3:1 ø 4 mm circular holes - 32 selectable punches for binding with wire combs 3..1"

OPUS profilMaxPUNOHBLOCK 2:1 4×5.5 mm rectangular holes - 32 selectable punches for binding with wire combs 3..1 "



OPUS profiMaxELPUNCH

Stronger professional high performance electric punch with foot pedal, with changeable punch cassettes for perforating documents, recommended for large companies and copy.





OPIS Semi - automatic Wire Closer

Professional semi automatic binder for wire combs with feeder for calendar hangers. Perfect machine for all small printing houses or big copy shops specialized in calendar's production

AN/INAT(



Laminating prolongs the life of documents, and photos, notices and charts. The process of sealing in plastic pouches keeps the colours vivid and in good condition for a long time. Charts and notices especially which can be marked with a water based pen and wipe clean later. The documents secured this way, cannot be changed or interfered with, also protects against tearing, dirt or damage by water.

OPUS uniLAM A4 Basic

Office laminator up to A4 format with a unique design. It uses modern technology for lamination of heated rollers. Quickly reaches operating temperature. Laminates most popular films (from 100 μm to 160 μm).



OPUS uniLAM A4

A unique design, easy to use, small compact laminator, with the newest hot roller technology, very short preheating time, 3 to 5 minutes, 2 standard laminating modes for the most



popular pouches. Maximum laminating: A4 width, thickness including pouch 0.6 mm, for pouches 80 - 125 microns, no laminating carrier needed, laminating speed: 300 mm/minute.

OPUS uniLAM A3

Office laminator up to A3 format. Unique design, short preheat time, 3 to 5 minutes. The newest hot roller technology.



no need for laminating carrier. Programmed with three laminating modes for pouches: 80 - 175 microns. Maximum: laminating width, 330 mm (A3 format) and of material thickness including pouch: 0,5 mm, 4 roller system.

OPUS uniLAM A3 basic

The cheapest office laminator in our offer up to A3 size with a unique design. It uses modern technology for lamination of heated rollers. Quickly reaches operating temperature. It has two standard modes for laminating most popular films



profilam junior A3

Professional laminator with "hot rollers" technology, ensures the highest quality of lamination. Laminator is equipped with temperature control, allowing you to choose the most optimal variant of lamination. High quality, robust construction.



OPUS rolLAM 380

Professional roller laminator for big print/ house/copyshops. Modern LCD control panel, individual laminating settings. Silicon rollers covered to improve lamination quality. Maximum laminating width: 380 mm, laminating speed up to 4 m per minute. Laminating foil up to 25 - 250 microns



OPUS rolLAM 720

Professional continuous roll feed Laminator, special silicon covered hot roller system for improved laminating quality and speed. Special rotary trimmer, LCD display control panel, microprocessor to set



speed 4 m per minute, 4 roller system, STAND-BY function, heating time 5 to 6 minutes, maximum foil thickness 250 microns, maximum thickness of document with foil 7 mm, temperatures from 80 to 150°C,

OPUS AutoLAM A3

Office laminator up to A3 format. Uses hot roller technology. Does not require the use of paper or foil carrier. The "Auto Sense" automatic mode detects film thickness and informs the user about any errors. In manual mode available six programmed lamination modes (for films: 75 μm, 100 μm, 125 μm, 150 μm, 175 μm and 250 μm).



OPUS rolLAM 380 / 720 Super

Professional continuous roll feed Laminator with a top chrome heated roller and special silicon covered bottom roller for improved laminating quality and speed. Special rotary trimmer, LCD display control panel, microprocessor to set precise speeds, temperatures with two infrared sensors for laminating



opus profilam A3

Professional laminator with the newest hot roller technology, providing the highest quality lamination for colour photos, foils, photo copies and printed documents. LCD control panel display, timer, temperature settings, roller speeds, giving you the optimal control of the laminator for the best results. Good for intensive use in large offices, universities



OPUS cityLAM A3

Office laminator up to 330 mm (A3 format). Modern design short preheat time. Newest hot roller technology, No laminating carrier needed. 3 Pre programmed laminating modes (pouch: 80 to 200 microns). Maximum thickness documents and pouch 1mm, 4 roller system



OPIS profiLAM A2

Professional fast laminator with "special hot roller" technology, LCD display control panel, designed for intensive use. lamination width up to 480 mm, speed 1.2 m/minutes, pouch thickness up to 80 - 250 microns, preheating time, 8 minutes, reverse function, temperature up to 160°C. 6 roller system



○PUS MinuteLAM A3

Modern, easy-to-use office A3 laminator designed for hot and cold lamination. Uses hot rollers technology which provides the best results. Warm-up time of less than 90 seconds. Three standard modes for hot lamination (80, 100, 125, 150 and 175 microns) and cold lamination.



AMINATORS

OPUS SpeedLAM A3


High-speed professional laminator for offices, newest special hot roller technology, up to 330 mm (A3 format), LCD display control panel, 8 roller system, reverse function, heating time 5



O·POUCH Super **FORMAT** THICKNESS [µm] SIZE $(H \times W)$ PFR BOX credit card 54 x 86 mm 80, 100, 125, 150, 175, 250 100 business card 60 x 95 mm 60, 80, 100, 125, 150, 175, 250 100 business card 65 x 95 mm 80, 100, 125, 150, 175, 250 100 business card 75 x 105 mm 100 80, 100, 125, 150, 175, 250 80 x 110 mm Α7 100 80, 100, 125, 150, 175, 250 80 x 120 mm 100 80, 100, 125, 150, 175, 250 A6 111 x 154 mm 100 80, 100, 125, 150, 175, 250 154 x 216 mm Α5 80, 100, 125, 150, 175, 250 100 Α4 216 x 303 mm 100 80, 100, 125, 150, 175, 250 216 x 303 mm 100 80 (colour: green) Α4 АЗ 303 x 426 mm 100 80, 100, 125, 150, 175, 250 426 x 600 mm **A2** 25 80, 100, 125









O BADGE Clip



O-BADGE with slot

CHOOCH			
FILMS	THICKNESS [µm]	PER BOX	SIZE (H x W) [mm]
O-POUCH Matt/Clear	100	100	55 x 95, 60 x 95, 80 x 110, 216 x 303, 303 x 426, 350 x 260, 350 x 450, 426 x 600

O-POUCH Matt/Matt 80 100 60 x 95, 154 x 216, 216 x 303, 303 x 426 O-POUCH Sticky 100 55 x 95, 60 x 95, A7, A5, A4, A3, 100 350 x 260, 350 x 450 Α4 80 25



O · BADGE Holder Vertical O·BADGE Holder

O.POLICH

O CLIP 2 O CLIP 3

A2

O · BADGE holder with strap

O BADGE Holder Vertical with strap

O·BADGE holder universal





THERMAL BINDING MACHINES



Thermal binding is an easiest way to bind sheets of paper. All you have to do is place the pages in a cover and put them into a thermal binder. The whole process takes only a few seconds, even if you bind 500 pages. Whatever you bind it always looks impressive. It is light, flat and lasts for a long long time. With documents bound this way your company image becomes more and looks professional. There is a big range and variety of covers manufactured by OPUS.



OPUS TB 250

Small office thermal binding machine, incredibly inexpensive, gives a high performance, modern design, side cooling rack, making the TB250 neat and compact taking only a little space in the office. Binds up to 220 sheets of A4 paper at one time.

	THERMAL BINDING MACHINE												
model	preview	format	binds max (sheets): [80 g/m²]	power [W]	working temperature [°C]	worm-up time [min]	housing	main features	code - www link				
TB 250	2	A4	220	250	110	1 - 2	plastic	small size, modern design, sliding cooling rack	200115				

SHREDDERS

OP|| OS 2210 CD

Office/home cross-cut shredder. Feed slot: 220 mm, shred size: 4 x 39 mm, sheet capacity maximum 10* pages security level: P-4, automatic "start/stop", overheat protection, with reverse.



OP | S 2212 CD

A very efficient personal cross-cut shredder. It cuts paper into shreds size: 4 x 35 mm, achieving the 4rd DIN security level. It can also shred credit cards! feeding slot: 220 mm / 122 mm shred size: 4 x 35 mm, sheet capacity: max. 12 pages* / 1 CD / 1 credit card security level: P-4 | Tx-1 | Ex-2 automatic cut off if cutting head is not installed properly can shred CDs and credit cards.



OPUS OS 2206 CD

OPUS CS 2205

Office/home cross-cut shredder. It cuts paper into shreds size: 4 x 40 mm, achieving the 4rd DIN security level. Feeding slot: 220 mm, shred size: 4 x 40 mm (cc) sheet capacity (80 g/m²):

max. 5 pages* security level: P-4, automatic "start/stop" overheat protection reverse.

Office/home cross-cut shredder, automatic on/off, paper feed slot 220 mm, up to 6^{*} A4 Sheets at one time, Shred size: 4×39 mm, level P-4 security. CD/DVD and credit card slot, 1 CD/DVD or 1 credit card at one time, 7 litre container.

The most valuable asset a company has is information.

An important part of protecting this information is the ability to effectively destroy documents which need to remain a secret. Shredders not only help you to solve this problem, but also reduce the volume of paper waste in your office. We offer two cutting systems, with six levels of se-

curity. In wood, aluminium and plastic housings, in a range

of colours and designs, classical or modern.



OPUS TS 2222 CD

The universal cross-cut shredder. Ideal for medium offices. Feed opening: 225 mm / 122 mm cutting width: 3.9 x 44 mm, shreds up to: 22* / 1 CD/DVD / 1 credit card security level: P-3 | Tx-1 | Ex-2 automatic start-stop (photocell) special diode informs about motor overheating special diode informs about paper jamming special diode informs about shred bin full shreds staples.



OPUS VS 711 CD SHREDS CD, DVD, CREDIT CARDS

Very efficient personal crosscut shredder, automatic on/off. Paper feed slot 225 mm, up to 7 A4 sheets at a time. Shred size: 4 x 40 mm, level P-4 security. CD/DVD and credit card slot, 1 CD/DVD or 1 credit card at a time, 20 litre container.



OPUS CS 2208 AF

Modern office crosscut shredder.2 feed slots, Paper slot 225 mm, shred size 4 by 30 mm pieces, security level P-4, shreds 8 sheets of paper at a time, stops when paper clips is detected, slot 2 122mm, 1 credit card magnetic strip or chip security level Tx-2 and Ex-2, 1 CD/DVD, very quiet running, with caster for ease of moving, removable 22 litre bin.



OPIS TS 2215 CD

The universal, cross-cut shredder. Ideal for medium and big offices. It has special feed to shredding CDs and credit cards. Feed opening: 225 mm / 122 mm cutting width: 4 x 38 mm shreds up to: 15* / 1 CD/ DVD / 1 credit card security level: P-4 | Tx-1 | Ex-2 automatic "start/stop" (photocell), shreds credit cards and CDs.



OPUS VS 2000 CA

Modern, business cross-cut shredder. Equipped with LCD display. Suitable for middle / average work groups. Paper slot 230 mm, shred size pieces 4 by 35 mm, security level P-4, shreds 20 sheets of paper at a time, shreds 1 credit card magnetic strip or chip security level Tx-2 and Ex-2 or 1 CD/DVD security level O-1. Equipped pull-out drawer for cuttings. Staple and paper clip resistant.



OPUS

AS 2210M AF / AS 2210C AF

The shredder with an automatic paper feeder. Paper slot 220 mm, shred size pieces: AS 2210M AF 2 x 12 mm (micro-cut); security level: P-5 | Tx-5 | Ex-4 / AS 2210C AF 4 x 20 mm; security level: P-4 | Tx-4 | Ex-2. It shreds up to 200 sheets of sheets at a time (automatic mode) - or up to 11 sheets (manual mode). Knives made of hardened steel are a solution that ensures long operation and durabilit. Also shreds credit cards



OPIS TS 2415 CD / TS 24120 CD

Modern, business cross-cut shredder. Suitable for middle / average work groups. Paper slot 240 mm, shred size pieces: TS 2415 CD 2 x 15 mm (microcut); security level: P-5 | Tx-5 | Ex-4 / TS 2420 CD 4 x 40 mm; security level: P-4 | Tx-4 | Ex-2. Shreds: 18 sheets of paper (TS 2415 CD) / 23 sheets of paper (TS 2420 CD). Also shreds CD/DVDs and credit cards.



SHREDS CD, DVD, CREDIT CARDS VS 1202 CD

Perfect for office use, heavy duty, crosscut shredder, credit card cut out in the paper slot, CD/DVD slot with dot scoring on both sides system, separate pull down tray to catch CD's Shred size 4 x 35 mm pieces, up to12 A4 sheets at a time, security level P-4, 235 mm feed slot, shreds light staples in paper. 30-litre container.



CIPIS

TS 2609 CD / TS 2616 CD SHREDS CD, DVD, CREDIT CARDS

A modern cross-cut paper shredder designed for shredding of documents. Paper slot 265 mm, shred size pieces: TS 2609 CD 2 x 12 mm (microcut), security level: P-5 | Tx-5 | Ex-4 / TS 2616 CD 4 x 30 mm, security level: P-4 | Tx-4 | Ex-2. It shreds up to: 11 sheets (TS 2609 CD) / 19 sheets (TS 2616 CD). Also shreds CD/DVD and credit card (separate slot and bin). Functions: automatic cleaning, automatic "start/stop", overheat protection.



OPUS CS 2208 CD

Universal crosscut shredder for medium size offices. 2 slots, paper 220 mm, shreds up to 8 A4 sheets, light staples, shred pieces 2 x12mm, security level P-5. Slot 2 shreds 1 credit card 'magnetic strip or chip' sequrity level 1x-5. Ex-4. 1 CD/DVD security.

P-5. Slot 2 shreds 1 credit card 'magnetic strip or chip', security level Tx-5, Ex-4, 1 CD/DVD, security level O-2 at a time. Auto start/stop, overheating protection, 22 litre container with small bin inside for shredded CD/DVD and credit cards.



TRIMMERS & GUILLOTINES

When you want to trim a document to the required format in a neat and accurate manner you can do it with OPUS trimmers and guillotines, simple and easy to use.

OPUS EUROCUT A3

Light compact A3 format office trimmer/ guillotine. Movable guide makes cutting any paper to a precise size easy. Tough plastic safety guard for blade and clamp to hold the paper, makes working with the Eurocut very safe. Easy to move, well designed handle, paper size guide on the bed,movable guide for precise cutting. OPUS Eurocut A4 and A3 Cuts up to 8 sheets at a time and only weighing 2 kg.



OPUS EUROCUT A4

Light compact A4 format office trimmer/ guillotine. Movable guide makes cutting any paper to a precise size easy. Tough plastic safety guard for blade and clamp to hold the paper, makes working with the Eurocut very safe. Easy to move, well designed handle, paper size guide on the bed,movable guide for precise cutting. Cuts up to 8 sheets at a time and only weighing 2 kg.



PUS hobbyCUT A4

Small paper trimmer, with a plastic clamp to hold the paper when cutting, metal base marked with many different sizes and angels, cuts up to 5 sheets at a time Cutting length 320 mm



OPUS ROLOCUT A4

The most inexpensive rotary trimmer for homes and small offices. Simple design, very clear size guide, in millimetres on the base. Solid rotary cutting knife, paper safety clamp bar.

Rolocut A4 cuts up to 320 mm and 10 sheets at a time.



OPUS Solid Trimmer 320

Small rotary trimmer for cutting e.g. printouts for o.pouch cover. Metal base with built-in magnets. With Coverator and Atlas 190 binding machine you will have perfect solution for customizing covers and photobooks.



OPUS O Corner Cutter+

Professional corner cutter.
Interchangeable cutting blades,
cuts rounded, straight and angled
corners, other types and sizes of cutters
available. Comes with a standard 6 mm
rounded cutter.



OPUS standardCREASE 49

Makes a crease mark on paper, card and photos in quick and easy way. Stable and durable metal construction. Two guides to help do precise creasing and perforating. Designed for offices, advertising agencies and perfect for professional photo labs.



DEVICES FOR FILLING CUSHIONS OR MATS WITH AIR




A lot, more, a lot more... parcels we send every day. We want them to be well packed, secured, look great, and that packing them does not take much time. It is possible now. Everyone who will pack and everyone who will unpack the package will appreciate the functionality, economy, appearance and optimization – everyone whose package will be filled and secured with air fillers in the form of cushions or air mats!

DEVICES FOR FILLING FOIL CUSHIONS OR MATS WITH AIR dimensions air pressure air pressure pedal switch air cushion air mat weight air packing max speed power [W] code $(H \times W \times D)$ preview [m/min] indicator adjustment support support www link equipment tap [kg} [mm] 300 x 260 aeroPOUCH 4 12 250 3.5 906147 x 260 385 x 270 aeroPOUCH 20 300 17 906154 9 Pro x 280

FILLING FO	FILLING FOIL CUSHIONS & MATS WITH AIR													
air cushion chain foil and film mats	preview	roll length [m]	roll height [mm]	film thickness [µm]	film type	number of air chambers per sheet	mat size (cuttings) [mm]	quantity in package* (rolls)	code - www link					
aeroPOUCH 100 x 200 mm (cushion)	a tenk tenk	300	200	20	HDPE (High-density polyethylene)	1 cushion	100 x 200	1	906024					
aeroPOUCH 325 x 400 mm (cushions)	21.5	300	400	20	HDPE (High-density polyethylene)	20 cushions	325 x 400	1	906048					
aeroPOUCH 325 x 400 mm (bubbles)		300	200	20	HDPE (High-density polyethylene)	60 bubbles	325 x 400	1	906031					
aeroPOUCH 305 x 400 mm (mini-bubbles)	10 a	300	400	20	HDPE (High-density polyethylene)	196 mini-bubbles	305 x 400	1	906055					

PAPER VOID FILL FOUIPMENT





Paper is a cheap, attractive, environmentally friendly, easy to use and, above all, effective solution for packaging parcels. With a honeycomb paper feed, you can make your job considerably easier and create a package that will please the eye of every customer. **PACK WISELY - PACK IN PAPER!**Good, fast and environmentally friendly packaging is the best flag ship of any retailer. Now you can prepare paper fillings with ChartiPACK in no time at all.

PAPER VOID FILL DEVICES programmable number dimensions paper void fill max speed pedal switch AUTO weight www power LCD display and lenght of paper preview $(H \times W \times D)$ [W] tab equipment . [m/min] mode [kg} link section [mm] 280 x 720 ChartiPACK 8 50 13.65 906185 НС x 330 175 x 335 ChartiPACK 906161 50 80 9.25 AC x 390

PAPER FOR PAPER \	PAPER FOR PAPER VOID FILL EQUIPMENT											
paper type	preview	paper length [m]	paper width [mm]	paper weight [g/m²]	www link							
OPUS chartiPACK Honeycomb - Honeycomb Kraft Paper Roll 51 cm x 250 m		250	510	80	906222							
OPUS chartiPACK Z-fold - Z-fold Kraft Wrapping Paper 38 cm x 500 m (folding every 19 cm)		500	380	70	906215							

BINDING MACHINES COMPARISON CHART

					OPU	S BIN	NDERS					
model	preview	format	punches max (sheets) [80 g/m²]	binds max (sheets) [80 g/m²]	manual / electric	spine type	releseable knives (PCS)	margin adjustment	adjusta- ble back- gauge	main features	code - www link	
				PLAS	STIC CO	МВ ВІ	NDERS					
BINGO		A4	8	150	manual	plastic	-	-	•	two arms handle	100156	
JUNIOR MAX		A4	12	510	manual	plastic	-	•	•	metal handle	100866	
MAXI BINGO		A4	14	510	manual	plastic	-	•	•	metal casing, adjustable margin (4 levels)	100163	
BONO PLUS		A4	15	510	manual	plastic	21	•	•	metal housing, adjustable margin (4 levels)	100217	
SUPER BONO		A4	22	510	manual	plastic	24	•	•	metal housing, adjustable margin (4 levels)	100231	
HERCULES PLUS		A4	20	510	manual	plastic	7	•	•	spine size indicator, safety covers	100132	
OFFICER		A4	20	510	manual	plastic	24	•	•	two arms handle, adjustable margin (4 levels)	100545	
JUMBO B		A4	25	510	manual	plastic	21	•	•	metal housing, adjustable margin (4 levels)	100385	
EL-JUMBO B		A4	30	510	electric	plastic	21	•	•	metal housing, adjustable margin (4 levels), electric operation	100514	
WIRE BINDERS												
WIRE BONO		A4	15	120	manual	wire	-	•	•	metal housing, spine size indicator	100224	
WIRE JUMBO		A4	25	120	manual	wire	35	•	•	metal housing, spine size indicator, adjustable margin (4 levels)	100248	
WIRE EL-JUMBO	6	A4	25	120	electric.	wire	35	•	•	metal housing, spine size indicator, adjustable margin (4 levels), electric operation	100194	
		1			CO	IL BIN	DERS			(
COIL BONO		A4	12	160 (20 mm coil)	manual	coil	-	nd.	•	metal housing, spine size indicator	100538	
COIL JUMBO	11 11	A4	25	160 (20 mm coil)	ręczna	coil	6	nd.	•	metal housing, spine size indicator	100859	
		1		,	IFUCTION	ONAL	PERFORA	TORS				
profi PUNCH		A4	25	module	manual	module	module	•	•	PUNCHblock module service (additional option)	100583	
profi EL-PUNCH		A4	25	module	electric	module	module	•	•	PUNCHblock module service (additional option), electric operation	100590	
profi MAX EL-PUNCH	T	A4	55	module	electric	module	module	-	•	PUNCHblock module service (additional option), electric operation	100736	
'		,			PRO) FI BIN	NDERS			,		
profi BINDER & CLOSER		A4	-	according	manual	plasic / wire	-	-	-	2-systems binder	100606	
profi EL-CLOSER		A4	-	to spine size	electric	wire	-	-	-	security sensor	100613	
SEMI -AUTOMATIC WIRE CLOSER							built-in calenda , especially cale			nachine for any small printing e info.	100552	

LAMINATORS

COMPARISON CHARTS

OFFICE LAMINATORS

model	preview	format (slot width) [mm]	max. thickness of laminating documents with foil [mm]	max foil thickness folii [µm]	warm-up time [min]	lamination speed [mm/min]	rollers quantity	revers	speed adjusting	tempera- ture adjusting	lamina- tion system	cold lami- na- tion	code - www link
UNILAM A4 BASIC		A4 230	0,5	160	3	230	2	•	2 le	evels	warmed rollers	•	400348
UNILAM A4		A4 230	0,6	125	3-5	300	2	•	2 le	evels	warmed rollers	•	400218
UNILAM A3 BASIC		A3 320	0,5	125	3,5	300	2	•	2 levels		warmed rollers	•	400287
UNILAM A3		A3 320	0,5	175	3-5	300	4	•	3 le	evels	warmed rollers	•	400225
MINUTELAM A3		A3 320	0,7	175	1,5	380	4	•	levels for popular foils		warmed rollers	•	400331
CITYLAM A3		A3 330	1	200	4-6	360	4	•	settings panel (ready to use signal)		hot rollers	•	400263
AUTOLAM A3		A3	0,6	250	1	1500	6	•		settings panel tand-by function) hot rollers		•	400362
PROFILAM A3 JUNIOR		A3	1	250	2-3	450	4	•	•	evels 65-145°C	hot rollers	-	400294
PROFILAM		A3	3	250	5-6	1200	6	•	setting (9 le	s panel evels)	hot rollers	_	400157
A3		AS	J	230	3-0	1200	(amort.)		• (digital)	0-140°C	TIOU TOILETS	-	400101
PROFILAM		A2	3	250	8	550	6	•	setting (Stand-by	s panel y function)	hot rollers	_	400232
A2		, 12					(amort.)	-	6 levels 0-160°C		.101.1011013		
SPEEDLAM		A3	3	350	5	4000	10 (4 support	•	settings panel (Stand-by function)		hot rollers -		400195
A3		350					rollers)		9 levels	0-160°C			

ROLL LAMINATORS

model	view	slot width [mm]	max. thickness of laminating documents with foil [mm]	power [W]	max foil thickness folii [µm]	lamination speed [mm/min]	rollers quantity	revers	speed adjusting	temperature adjusting	lamina- tion system	cold lami- na- tion	code - www link
ROLLAM 380		340	13	1550	250	4000	4	•	settings (Stand-by IR sensor te stabiliz	function), mperature	hot rollers (cooling)	•	410033
ROLLAM 380 SUPER		340	9	1550	250	5000	4	•	settings panel (Stand-by function), IR sensor temperature stabilization, temp. range 0-150°C (for all rollers separatelly)		hot rollers (cooling)	•	410040
ROLLAM 720		680	7	1700	250	4000	4	•	settings panel (Stand-by function), 9 levels, IR sensor temperature stabilization		hot rollers (cooling)	•	410026
ROLLAM 720 SUPER		680	9	1550	250	4000	4	•	settings (Stand-by IR sensor tempe tion, temp. ra (for all rollers	function), rature stabiliza- nge 0-150°C	hot rollers (cooling)	•	410057

SHREDDERS COMPARISON CHART

						OPUS S	HRE	:DDEF	RS					
model	preview	feeding slot	shred type	shred size [mm]	sheet capacity [80 g/m²]	Safety level (ISO/IEC 21964 standard)	power [W]	operating speed [m/s]	Shred bin volume [I]	also shreds	revers / castors	dimensions (H x W x D) [mm]	weight [kg]	code - www link
CS 2205		220	cross cut	4 x 40	5	P-4	120	0.04	11,8	_	manual	310 x 296	2.9	510344
		220	Gross cut	7 7 70		1 7	120	0.04	11,0		-	x 190	2.0	010044
OS 2206		220/125	cross cut	4 x 39	6	P-4 Tx-2	120	0.05	7	□ ⊚	manual	380 x 310	3.3	510436
CD						Ex-2 O-1					-	x 164		
VS 711		225/122	cross cut	4 x 40	6	P-4	200	0.09	20	□ ⊚	manual	387 x 340	4.3	510207
CD						Tx-4 Ex-3					-	x 219		
OS 2210 CD		220/133	cross cut	4 x 39	10	P-4 Tx-1 Ex-2	200	0.08	21	□ ⊚	manual	418 x 326 x 227	5.4	510443
						1X-1 LX-2					-	X 221		
VS 1202 CD		235/122	cross cut	4 x 35	12	P-4 Tx-4 Ex-3	200	0.05	30	□ ⊚	manual	420 x 355 x 240	7.5	510184
											manual			
CS 2212 CD	9	220/122	cross cut	4 x 35	12	P-4 Tx-1 Ex-2	380	0.04	25	<i>∅</i> □ ⊚	manual -	367 x 464 x 251	6.7	510368
CS 2208	9					P-5 Tx-1					auto	565 x 350		
CD 2206		220/122	cross cut	2 x 12	8	Ex-1 O-2	260	0.03	22/3	<!--</td--><td>•</td><td>x 260</td><td>10.3</td><td>510375</td>	•	x 260	10.3	510375
TS 2215						P-4 Tx-1					auto	645 x 373		
CD	t,	225/122	cross cut	4 x 38	15	Ex-2 O-1	220	0.05	28	<!--</td--><td>•</td><td>x 277</td><td>9.15</td><td>510405</td>	•	x 277	9.15	510405
TS 2222						P-3					auto	649 x 373		
CD	1	225/122	cross cut	3,9 x 44	22	Tx-1 Ex-2	240	0.04	28	<!--</td--><td>•</td><td>x 289</td><td>12</td><td>510429</td>	•	x 289	12	510429
VS 2000						P-4 Tx-2					auto	660 x 416		
CA		230/133	cross cut	4 x 35	20	Ex-2 O-1	200	0.03	41	0	•	x 310	13.4	510306
CS 2208		005/100			0.4000	P-4 Tx-2	0.50	0.04		<i>O</i>	auto	555		510010
AF	I	225/122	cross cut	4 x 30	8 / 602	Ex-2	250	0.04	22	0	•	x 345 x 249	9.2	510313
TS 2415 CD	1,	240	micro cut	2 x 15	18	P-5 Tx-5 Ex-4	600	0.03	45		auto	710 x 430	32	510504
TS 2420 CD	_	240	cross cut	4 x 40	23	P-4 Tx-4 Ex-2	600	0.03	45	0	•	x 330	29.5	510498
AS 2210M AF		220	micro cut	2 x 12	11 (manual) /	P-5 Tx-5 Ex-4	345	0.03 (manual) /	32.2		auto	580 x 356	32	510528
AS 2210C AF	E	220	cross cut	4 x 20	200 (auto)	P-4 Tx-4 Ex-2	414	0.1 (auto)	02.2		•	400	29.5	510511
TS 2609 CD		265	micro cut	2 x 12	11	P-5 Tx-5 Ex-4	300	0.03	33		auto	600 x 400	13	510481
TS 2616 CD			cross cut	4 x 30	19	P-4 Tx-4 Ex-2		0.00		0	•	x 290	13.1	510474

ODI IC CUDEDDEDC

TRIMMERS & GUILLOTINES COMPARISON CHART

	OPUS TRIMMERS & GUILLOTINES													
model	preview	type	cut lenght [mm]	cutting capacity (80 g/m²)	paper clamp	blade safety cover	measuring scale	adjustable backgauge	paper size guide	working table dimensions (W x D) [mm]	weight [kg]	code - www link		
HobbyCUT A4		guillotine	320	5	plastic bar	-	mm	-	•	320 x 150	0.9	300211		
EuroCUT A4		guillotine	335	8	manual	•	mm	•	•	330 x 260	1.6	300143		
EuroCUT A3		guillotine	430	8	manual	•	mm	•	•	430 x 360	2	300020		
RoloCUT A4		rotary trimmer	320	9	plastic bar	•	mm/cal	-	•	320 x 157	0.8	300235		
Solid Trimmer 320		rotary trimmer	320	9	plastic bar	•	mm/cal	•	•	320 x 600	1.9	643370		